



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003
(Reg No. SR/MBDA - 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

**GOVERNMENT OF MEGHALAYA
MEGHALAYA BASIN DEVELOPMENT AUTHORITY
(MBDA)**

**MEGHALAYA LIVELIHOOD IMPROVEMENT THROUGH FOREST ENHANCEMENT IN
MEGHALAYA (MegLIFE)**

Request For Quotation (RFQ)

FOR

Procurement of Office Furniture and Equipment for Chokpot

**Additional Project Director
MegLIFE
Meghalaya Basin Development Authority (MBDA), Shillong**



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003
(Reg No. SR/MBDA - 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

REQUEST FOR QUOTATION

Procurement of Office Furniture and Equipment for Chokpot

Purchaser: *Meghalaya Basin Development Authority (MBDA)*

Contract title: *Procurement of Office Furniture and Equipment for Chokpot*

RFQ No: *MBDA/MegLIFE/2023-24/1081*

S#	Description	Date & Time
1	Date of Issue of RFQ	3rd July, 2023
2	Last Date and Time of submission of RFQs	19th July 2023 at 1400 Hrs.
3	Opening of RFQs	19th July 2023 at 1430 Hrs.



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003
(Reg No. SR/MBDA – 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

MBDA/MegLIFE/2023-24/1081

Dated: 3rd July, 2023

INVITATION FOR QUOTATIONS FOR PROCUREMENT OF OFFICE FURNITURE AND EQUIPMENT FOR CHOKPOT

To

Dear Sir/Madam,

Subject: Invitation for quotations for Procurement of Office Furniture and Equipment for Chokpot

You are invited to submit your most competitive quotation for the following goods as per the mentioned lots below: -

***Detailed Specifications given at Annexure I**

Sl#	Brief Description of the Goods	Qty	Consignee Address	Delivery Period
1	Executive table	2	As mentioned in T&C Cl. 4	To be mentioned in the Supply Order.
2	Executive chair	2		
3	Computer table	1		
4	Computer chair	1		
5	Almirah	3		
6	Steel Rack	3		
7	Plastic Chair	6		
8	Computer Desktop	1		
9	Printer	1		
10	Photocopy machine	1		
11	UPS	1		
12	Projector with screen	1		
13	PA System	1		
14	External Hard Disk	1		



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003
(Reg No. SR/MBDA – 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Terms and Conditions

- 1. Eligibility:** A Bidder (a) shall not participate in more than one Quotation; (b) shall not have Conflict of interest as defined in the Bank’s Procurement Regulations; and (c) should not have been (i) temporarily suspended or debarred by the State/Central Government/PSU’s or (ii) blacklisted or suspended by Central or any State Government Departments in India.
- 2. Clarifications & Amendments:** If the Purchaser receives any request for clarification of this RFQ Document, it will upload its response together with any amendment to this document, on www.mbda.gov.in for information of all Bidders. Bidders should check on the website, for any amendments to the terms and conditions and for Award of Contract.
- 3. Place of Delivery of Items:**

Chokpot C&RD Block, Near Petrol Pump, South Garo Hills District- 794005
- 4. Consignee Address (and quotation Delivery Address):**
Meghalaya Basin Development Authority (MBDA), MegLIFE office, Shalom Building, 2nd Floor, Lower Lachumiere Shillong, Meghalaya-793001.
- 5. Quotation Price**
 - a) The quantity offered should be 100% of the requirement for the quoted amount. Corrections, if any, shall be made by crossing out, initialing, dating and re writing.
 - b) All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
 - c) Goods and Service Tax (GST) should be indicated separately.
 - d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
 - e) Bidder must expressly mention the name/brand/model of the items offered by them in the price schedule along with proper product brochures.
 - f) The bidder must mention in details about the product being offered in lieu of the specified specifications and not by simply mentioning “Complied”. Such bids with no proper details are likely to be disqualified.
- 6. Qualification of Bidders**
 - a) Have the legal capacity to enter into a contract;
 - b) Not be insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances;
 - c) Not have had your business activities suspended or debarred from public procurement by the State Government of Meghalaya or Government of India.



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003
(Reg No. SR/MBDA – 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

7. **Validity of Quotation:** Quotations shall remain valid for a period not less than 90 days after the deadline date specified for submission.
8. **Documents Evidencing Qualification:** Bidders are requested to submit copies of the following documents as evidence of your qualification.
 - a. Valid trading license/registration or equivalent/Exemption Certificate.
 - b. Valid certificate of GST registration;
 - c. Self-declaration to the effect the bidder is not insolvent, in receivership, bankrupt or being wound up or subject to legal proceedings for any of these circumstances.
 - d. Self-declaration that the bidder's business activities are not suspended or debarred from public procurement by the State Government of Meghalaya, any other State Government or Government of India.
9. **Evaluation of Quotations:** The Purchaser will evaluate and compare the quotations that are determined to be substantially responsive i.e., which
 - (a) are properly signed; and
 - (b) Confirm to the terms and conditions and specifications.
 - (c) Any historical information, if required may be asked from the bidders during evaluation of quotes.
10. **Award of contract:** The Purchaser will award the supply orders to the bidders whose quotations have been determined to be substantially responsive and who has offered the lowest evaluated quotation price. The announcement for this assignment will be published in www.mbda.gov.in
 - a. Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract. The numbers against each item may increase or decrease at the time of issuing the Purchase Order.
 - b. The bidder whose quotation is accepted will be notified of the issue of Supply Order by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the supply order (sample form attached)
11. Normal commercial warranty/ guarantee shall be applicable to the supplied goods (extended warranty) if required will be mentioned in the technical specifications.
12. You are requested to provide your sealed quote latest by 1400 hours on 19th July, 2023. Quotations that have been submitted on or before time will be opened at 1430 hours on 19th July, 2023. Late quotes will be rejected.
13. Payments shall be released on completion and subject to acceptance of deliverable by the client within 30 working days. However, for any issues experienced post completion and acceptance of the work the purchaser, the vendor should provide support in resolving the technical issues.
14. We look forward to receiving your quotations and thank you for your interest in this project.



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003
(Reg No. SR/MBDA - 4/11 OF 2011)
Phone: +91-364- 2522921/2522992
Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Sd/-

Name: Shri. Gunanka DB, IFS
Address: Community-Based Forest Management and
Livelihood Improvement in Meghalaya,
Meghalaya Basin Development Authority (MBDA),
MegLIFE office 2nd Floor, Shalom Building,
Lower Lachumiere. Shillong- 793001
Tel. No.: +913643510190
Email: mbdaprocurement@gmail.com



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
 Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003
 (Reg No. SR/MBDA – 4/11 OF 2011)
 Phone: +91-364- 2522921/2522992
 Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

FORMAT OF QUOTATION

Sl. No.	Description of Goods	Unit	Quoted Unit Rate ¹ Lot wise at destination in Rs.	GST and similar other taxes applicable on finished Goods/ Services	Total Price per line item at Destination - inclusive of discounts, all taxes and duties	
					In Figures	In Words
1	Executive table	2				
2	Executive chair	2				
3	Computer table	1				
4	Computer chair	1				
5	Almirah	3				
6	Steel Rack	3				
7	Plastic Chair	6				
8	Computer Desktop	1				
9	Printer	1				
10	Photocopy machine	1				
11	UPS	1				

¹ Any unconditional discounts if offered shall be specified in this column along with the unit rates.



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
 Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003
 (Reg No. SR/MBDA – 4/11 OF 2011)
 Phone: +91-364- 2522921/2522992
 Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Sl. No.	Description of Goods	Unit	Quoted Unit Rate ¹ Lot wise at destination in Rs.	GST and similar other taxes applicable on finished Goods/ Services	Total Price per line item at Destination - inclusive of discounts, all taxes and duties	
					In Figures	In Words
12	Projector with screen	1				
13	PA System	1				
14	External Hard Disk	1				

Gross Total Cost: Rs.

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs..... (Amount in figures) (Rs. amount in words) within the period specified in the Invitation for Quotations.

We also confirm that commercial warrantee/ guarantee of at least 12 months shall apply to the offered goods.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery or collusive agreements with competitors.

Signature of Supplier



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003

(Reg No. SR/MBDA - 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

SUPPLY ORDER

To:

M/s

.....
.....

Dear Sir,

Sub: Supply of

.....

Reference: Your Quotation no..... Dated

Your quotation no..... of (Date) for the supply of has been accepted. You are requested to supply the following goods/equipment at the rates quoted by you and specified against each as per the specifications and terms & conditions specified hereunder:

Sl#	Brief description of goods/ services	Specifications	Quantity to be supplied	Unit Rate (Rs.)	Total Price (Rs.)
1	Executive table		2		
2	Executive chair		2		
3	Computer table		1		
4	Computer chair		1		
5	Almirah		3		
6	Steel Rack		3		
7	Plastic Chair		6		
8	Computer Desktop		1		
9	Printer		1		
10	Photocopy machine		1		
11	UPS		1		
12	Projector with screen		1		
13	PA System		1		
14	External Hard Disk		1		
	Total				


1. Delivery Period: Day(s) from the date of issue of this supply order.

2. Place of delivery: As mentioned in Clause 3 of T&C

3. Consignee Address: Meghalaya Basin Development Authority (MBDA), MegLIFE office, Shalom Building, 2nd Floor, Lower Lachumiere Shillong, Meghalaya-793001.

4. GST if any will be paid at actual prevailing on the date of supply (if not already included in the cost above.

5. Extended Warranty/Guarantee shall be Month(s) from the date of delivery and acceptance.



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003

(Reg No. SR/MBDA - 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

6. Payment shall be made within 30 days of delivery; and acceptance of the goods/equipment.

7. Additional terms and conditions (if Any) may be added by the Purchasers at the time of issuing the Supply Order.

(Purchaser)

Date:

Name: Shri Gunanka D.B, IFS

Designation: Additional Project Director &
Executive Director,

MegLIFE, MBDA Shillong, Meghalaya

Place: Shillong, Meghalaya



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003


(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Annexure I

Procurement of Computer & Office Furniture and Equipment for BPMU			
Sl. No.	Items	Nos.	Specifications
1	Executive table	2	<p>Dimension: 1500mm W x 750mm D x 740mm H. Work top should be made from 25 mm thick pre laminated particle board with the edges sealed with 2 mm thick PVC edge banding all around. Side panel should be made up of 25 mm thick pre laminated particle board with the edges sealed with 2 mm Thick PVC edge banding on the user side and 0.8mm on the top and bottom Side. Modesty panel should be made from 18 mm thick Pre laminated particle board and its edge should be sealed with 0.8mm tick PVC edge banding all around. it should also have a freestanding pedestal for storage made from 18mm Pre laminated particle board and its edges should be sealed with 2mm and 0.8 mm thick PVC edge banding. The pedestal drawer should have suitable glides for smooth operation and all the Pedestal drawer should be centrally locked with a single key. Warranty: Minimum 2 Year</p>
2	Executive chair	2	<p>Mid Back Office Chairs with arm rest (modern/contemporary) Dimension: (76X76X91) in cm (WXDXH) with seating height of 46 cm Adjustable tilt tension and seat height Revolving & Tilts: Chair should have a full 360° revolving facility back tilt facility & Upright position locking facility. Fabric: The cushioned seat assembly should consist of seat base moulded in glass-filled poly-amide moulded polyurethane foam and upholstered with high stretched knitted polyester fabric. The cushioned back assembly should consist of back inner moulded in polypropylene in-situ moulded with polyurethane foam & upholstered with high stretch knitted polyester fabric Warranty: Minimum 2 Year</p>
3	Computer table	1	<p>Overall Table Size: L x W x H (Carton 1 of 1) 900 mm x 500 mm x 750 mm Keyboard Tray Size: 620 mm x 300 mm x 18 mm. Material Pre-laminated particle board 18 mm as per IS- 12823-1990. Provided with Casters. Warranty: Minimum 1 Year</p>



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

4	Computer chair	1	<p>SEAT/BACK ASSEMBLY should be made up of 1.2 cm. thick hot-pressed plywood upholstered with fabric and moulded Polyurethane Foam. The back should be made up 1.2 cm. thick hot-pressed plywood upholstered with replaceable fabric upholstery covers and moulded polyurethane foam. The back ply and foam should be designed with contoured lumber support for comfortable seating posture.</p> <p>BACK SIZE: 39.0cm.(W) X 38.cm.(H), SEAT SIZE: 45.0cm.(W) X 42.0cm.(D)</p> <p>POLYURETHANE FOAM: The polyurethane foam for seat and back should be moulded with density = 45±2 kg/m³ and Hardness = 20±2. FIXED BACKREST: The backrest should consist of a fixed type mechanism i.e., no back up/down adjustment. LEG FRAME ASSEMBLY should be tubular frame made up of MS E.R. W. tube and black powder coated</p> <p>Warranty: Minimum 2 Year</p>
5	Plastic Chair	6	<p>Type: Plastic (Without Arms)</p> <p>Height: between 85-92 cms</p> <p>Length: between 50-55cms</p> <p>Width: 45-50 cms</p> <p>Weight: Not more than 2 Kgs</p> <p>Warranty: As applicable</p>
6	Almirah	3	<p>Big size almirah of 916mm W x 486mm D x 1981 mm H made of 0.7mm thick CRCA MS epoxy powder coated with welded construction</p> <p>Primary Material: CRCA Steel</p> <p>Finish Colour: Any, Preferably Grey</p> <p>Dimensions W x H x D (cm) 91.6 x 198 x 48.6</p> <p>Features: The almirah should have 4 adjustable shelves made with 0.8mm thick CRCA MS. The doors should be metal door made with 0.8 mm thick CRCA MS having handles with m10 screw type lever.</p> <p>Product Should be green guard UL, Green pro Certified</p> <p>Warranty: Minimum 2 Year</p>
7	Steel Rack	3	<p>Dimension: 18 x 118 x 36 inch (Width x Height x Length)</p> <p>No. of Shelves: 7 Nos or more (adjustable)</p> <p>Type: Steel Storage Rack, Powder Coated Storage Rack</p> <p>Capacity per Shelf: 90Kg or more Uniformly Distributes Load</p> <p>Features: The rack should be made of metal and features a slotted angle design that allows for easy assembly and adjustment of the shelves.</p> <p>Usage: office use to organize items such as books, files, and other small items.</p> <p>Warranty: Minimum of 1 Year</p>



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

8	Computer Desktop	1	CPU	
			Processor:	12th Gen Intel Core i5-1235U (12 MB cache, 10 cores, 12 threads, up to 4.40 GHz Turbo) or better
			RAM:	Minimum 8GB DDR5
			Connectivity and Expansion Ports	Intel® Wi-Fi 6 2x2 (Gig+) and Bluetooth 5 or better 1 headphone/microphone combo; 2 SuperSpeed USB Type-A 10Gbps signalling rate; 4 SuperSpeed USB Type-A 5Gbps signalling rate 1 HDMI; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 VGA; 2 USB 2.0; 1 serial
			ROM:	Minimum 256 GB SSD & 1 TB HDD
			Input Devices	Wired Mouse and Wired Keyboard
			Communication	LAN with Integrated 10/100/1000M GbE
			Operating System:	Windows 10/11 pro-64 bit English pre-loaded
			Genuine MS-Office	Pre activated H&S
			Graphics	Integrated Graphics
			Warranty:	1 year onsite
			Monitor	
			Resolution and Screen Size	FHD (1920 x 1080) at 60Hz and 24 inch or more
			Display Type	LED-backlit LCD monitor / TFT active matrix with IPS Panel Type
			Display input Type	DisplayPort, HDMI, USB hub, VGA
			Display Features	On-screen controls; Low blue light mode; Anti-glare, 99% sRGB colour gamut, Flicker Free technology
			Aspect ratio	16:9
			Contrast Ratio	1000:1
			Brightness	250Nits
			Display Colours	16.7 million colours
			Response Time	8 ms or better
Display Position Adjustment	Height, pivot (rotation), swivel, tilt			
Warranty	1 Year on site			



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

			UPS	Type: Line-Interactive
				Capacity: 600VA/ 360 Watts
				Input Voltage Range: 140 – 300 V AC
				Input Frequency: 50Hz +/- 10%
				Output Voltage: 190 -253V on Mains ; 230V +/- 10 % on Battery mode
				Output Frequency: 50Hz +/- 10% Hz (under battery mode)
				Transfer Time: Less than 4 ms
				Output Points: 3 Nos Indian Sockets all Battery Backup
				Noise: <40db at 1m
				Protection: Low Battery, Overcharge, Overvoltage
				AVR: Built in Automatic Voltage Regulator (AVR)
				Indicators: Mains ON, battery On and Fault
				Battery details: Batteries shall be inbuilt Sealed Maintenance Free (SMF) type . 12V/7AH - 1 No
				Ambient Conditions: Temperature: 0 to 40 deg Celsius Humidity: upto 90%
				Warranty: 1-year on UPS & 1 year Batteries
			MAF required	Yes
9	Printer	1	Printer Type:	Print, Scan, Copy, Fax with ADF
			Print Method:	Duplex Colour Laser
			Print Speed(A4):	20 ppm for Color & 25 ppm for Mono
			Print Resolution	600 x 600 dpi or higher
			Print Quality	600 x 600 dpi or higher
			Auto Duplex Printing	Standard
				Copy
			Copy Speed (A4)	21 ppm or higher
			Copy Resolution	600 x 600dpi or higher
			Number of Copies	99 copies or higher
			Copy Features	Memory Sort, 2 on 1, 4 on 1, ID Card Copy



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003

(Reg No. SR/MBDA - 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

Scan	
Scan Type	Flatbed Colour Contact Image Sensor
Scan Resolution	600 x 600 dpi or higher
Scan Size	216 x 297mm
Scan Speed	3.0secs. per sheet (mono)
	4.0secs. per sheet (colour)
Auto Document Feeder (ADF)	30 sheets (80g/m2)
Available Paper Size for ADF	A4, B5, A5, B6, Letter, Legal
	(Min. 100 x 148mm to Max. 216 x 356mm)
Paper Input	100 sheets
	Multi-Purpose Tray 50 sheet
Paper Output (Based on 68g/m2)	99 sheets
Paper Size	Standard Cassette-A4, B5, A5, Legal, Letter, Statement, Executive, Government Letter, Government Legal, Foolscap, Indian Legal Custom (Min. 76.2 x 210mm to Max. 216 x 356mm)
Compatible Operating Systems	Microsoft® Windows® 10 (32 / 64-bit), Windows® 8.1 (32 / 64-bit), Windows® 8 (32 / 64-bit), Windows® 7 (32 / 64-bit), Windows Vista® (32 / 64-bit), Windows® Server 2012 R2 (64-bit), Windows® Server 2012 (64-bit), Windows® Server 2008 R2 (64-bit), Windows® Server 2008 (32 / 64-bit), Windows® Server 2003 R2 (32 / 64-bit), Windows® Server 2003 (32 / 64-bit), Mac OS X (*4) 10.6.8~, Linux (*3)
Operational Panel	Yes required
WIFI and Ethernet	Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac
Power Requirement	AC 220 - 240V (±10%), 50 / 60Hz (±2Hz)
Monthly Duty Cycle	15,000 pages
MAF required	Yes
Warranty	1 Year Onsite Warranty



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

10	Photocopy machine	1	System speed A4 -Up to 22/22 ppm (mono/colour)	
			System speed A3 -Up to 12/12 ppm (mono/colour)	
			Auto duplex speed A4 -Up to 22/22 ppm (mono/colour)	
			1st page out time A4 -6.8/8.4 sec. (mono/colour)	
			Warm-up time Approx. 20 sec. (mono/colour)	
			Imaging technology –Laser	
			Panel size/resolution -7” / 800 x 480	
			System memory -6 GB	
			System storage(standard/optional) -8 GB microSD/256 GB SSD	
			Interface -10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac	
			Network protocols -TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour	
			Automatic document feeder -Up to 130 originals; A5-A3; 35-128 g/m ² ; RADF	
			Paper tray input (standard) -1x 500; A5-A4; custom sizes; 60-256 g/m ²	
			1x 500; A5-A3; custom sizes; 60-256 g/m ²	
			Paper tray input (optional) -1x 500 sheets; A5-A3; custom sizes; 60-256 g/m ²	
			2x 500 sheets; A5-A3; custom sizes; 60-256 g/m ²	
			1x 2,500 sheets; A4; custom sizes; 60-256 g/m ²	
			Manual bypass 100 sheets; A6-A3; custom sizes, banner; 60-256 g/m ²	
			Automatic duplexing -A5-A3; 60-256 g/m ²	
			Output capacity -Max. 250 sheets	
			Toner lifetime Black up to 24,000 pages	
CMY up to 24,000 pages				
Power consumption -220-240 V / 50/60 Hz; Less than 1.50 kW				
System dimension (W x D x H) 571 x 661 x 786 mm (without options)				
System weight Approx. 70.0 kg (without option)				
Warranty: 2 Years onsite				
11	UPS	1	Ratings	650 VA
			Voltage (VAC)	100~300V AC (1Ph+N+PE) Load Dependent
			Frequency (Hz)	50 / 60Hz ± 10Hz Auto Sensing
			Voltage AVR Mode	230±10% (1Ph+N+PE)



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

		Voltage Battery Mode	230VAC \pm 10%
		Frequency (Hz) on Battery	50/60Hz \pm 0.1Hz
		Waveform	Simulated Sine Wave
		Transfer Time (ms)	4-8 ms Typical
		Load PF	0.7
		Voltage & Rating	2 X 7Ah
		Type	Sealed Maintenance Free Lead Acid VRLA
		Recharge time	6-8 Hours to 90% After Complete Discharge
		Audible alarms	Low Battery, Overload, Short Circuit and Fault Conditions
		LED Display	AC Mode: Green Lighting, Battery Backup Mode: Orange Lighting, Fault Mode: Red Lighting
		Protection	Battery Low, Overload, Short Circuit, AC Input Low/ High & Fault conditions
		Degree of protection	IP 20
		Cold start	Yes
		Types of enclosure	ABS
		Quality	ISO 9000, ISO 14001, OHSAS 18001, ISO 27001, BIS and RoHS
		Safety	IEC/EN62040-1
		EMC/ Performance	IEC/EN62040-2, IEC/EN62040-3, Complying to CE
		Temperature	Operating: 0~45°C, Storage: -10oC ~ 55oC
		Humidity/ Altitude	0~95% RH Non-condensing / <1500 M
		Noise	Low Audible Noise Level
		Communication Port	RS-232 / USB (Optional)
		Monitoring software (optional)	Optional
		Other features	Cold Start on Battery
			Overload Protection
			Battery Drain Protection



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya - 793003

(Reg No. SR/MBDA - 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

			Four numbers Indian socket for connecting load
			Optional USB Card for Auto Shutdown Software
			Plug and play
			Generator Compatible
			Standard back up of 10-15mins
		Warranty	As per OEM standard
12	Projector with screen	1	Projector
			Display Type: LCD
			Light Output: 3400 Lumens or more
			Audio: Stereo
			Light source: Lamp
			Life of Lamp - Standard Usage: 5000 Hours
			Life of Lamp - Eco Usage: 6000 Hours
			Screen Coverage: 33- 320 Inches
			Lens: Optical
			Contrast Ratio: 16000:1
			Throw Ratio: less than 0.85
			Aspect Ratio: 16:9
			Resolution: WXGA (1280 x 800)
			Audio Output: 2 Watts or better
			Projector Lens: Optical zoom (Manual)/ Focus (Manual)
			Projection Lens F Number 1.58 - 1.7 or better
			Focal Distance 14.6 mm - 16.82 mm or better
			Projection Distance Wide/Tele 1.02 m - 1.23 m (60 - inch screen)
			Warranty: 2 years
			Screen
			Display Size: 6 Feet (Width) x 4 Feet (Height)
			Screen Surface: Matte
			Features: Eyes Strain Free while Viewing, Comes with Anti UV Coating to Protect Eyes 1080 P 3D and 4K Ready Technology EASY TO CLEAN SUPER HIGH GAIN FABRIC/MATERIAL, Black Coated Screen Material from Back Side Eliminates Light Penetration for Superior Color Reproduction, Complimentary Four Side Black Masking Borders Enhances Picture Contrast
			Type: Wall and Ceiling
			Uses: Ideal for Presentation, Meetings Rooms, Home Cinema, Calendar Type Screen with No Spring Action or



MEGHALAYA BASIN DEVELOPMENT AUTHORITY (MBDA)

C/o Meghalaya State Housing Financing Cooperative Society, Upper Nongrim Hills,
Behind Bethany Hospital, Shillong, East Khasi Hills District, Meghalaya – 793003

(Reg No. SR/MBDA – 4/11 OF 2011)

Phone: +91-364- 2522921/2522992

Website: www.mbda.gov.in, E-mail: admin.mbda@gov.in

			Roll Back Mechanism												
			Compatibility: Should be Compatible with the above Projector												
			Warranty: As Applicable												
13	PA System	1	<p>Speaker: 1x12" Speaker, 1xHF Driver Power Output (BI-Amp): 60W RMS Input Channels: 2 x Wireless MIC, 1 wired mic, 1 aux in</p> <p>Frequency Response: 55-18,000Hz \pm3dB (Bi-Amp) S/N Ratio: 60dB Tone Controls: Volume, treble, bass echo control Digital Player: MicroSD, Bluetooth, Smart Media card, Multimedia Card, USB 3.0 Preamp Output: 200mV/600Ω Protections: AC Fuse Power Supply: AC: 220V-240V 50/60Hz, DC: 12V Car Battery (external), 12V 7Ah Rechargeable battery (built-in)</p> <p>AC Power Consumption: 60VA Wireless Microphone: 2 x Hand Held Frequency Stability: \pm0.005% Max. Modulation: 45dB RF Output: 10mW Battery: Li Rechargeable / AA / AAA batteries Frequency Response: 50-15,000Hz Current Consumption: < 200mA Warranty: 12 months</p>												
14	External Hard Disk	1	<table border="1"> <tr> <td>Storage:</td> <td>3 TB</td> </tr> <tr> <td>Transfer Speed</td> <td>120 Mbps or better</td> </tr> <tr> <td>Compatibility</td> <td>Laptops and PCs</td> </tr> <tr> <td>Type.</td> <td>HDD</td> </tr> <tr> <td>Connectivity</td> <td>USB 3 latest Gen or above</td> </tr> <tr> <td>Support OS</td> <td>Windows XP / Vista / 7 / 8 / 8.1 / 10/ 11 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later / Linux</td> </tr> </table>	Storage:	3 TB	Transfer Speed	120 Mbps or better	Compatibility	Laptops and PCs	Type.	HDD	Connectivity	USB 3 latest Gen or above	Support OS	Windows XP / Vista / 7 / 8 / 8.1 / 10/ 11 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later / Linux
Storage:	3 TB														
Transfer Speed	120 Mbps or better														
Compatibility	Laptops and PCs														
Type.	HDD														
Connectivity	USB 3 latest Gen or above														
Support OS	Windows XP / Vista / 7 / 8 / 8.1 / 10/ 11 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later / Linux														